




# AFEX Bearing Equipment Co., Ltd.

## China Factory Single Row Inch Needle Bearing NK24/16 NKI20/16



Bearing No. NK24/16

NK24/16 Bearing 2D drawings and 3D CAD models

Size	24x32x16 mm
Bore Diameter	24 mm
Outer Diameter	32 mm
Width	16 mm
$F_w$	24 mm
D	32 mm
C	16 mm
$r_{min}$	0,3 mm
m	31,9 g / Weight
$C_r$	16900 N / Dynamic load rating (radial)
$C_{0r}$	22300 N / Static load rating (radial)
$C_{ur}$	4100 N / Fatigue limit load, radial
$n_G$	18500 1/min / Limiting speed
$n_B$	10100 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	2.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.03
EAN	4012802701296
Product Group	B04144



## AFEX Bearing Equipment Co., Ltd.

Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	24MM Bore; 32MM Outside Diameter; 16MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Other Features	2 Rib Outer Ring   Radial Precision Bearing   Steel Cage   Light Duty   Ground Raceway with Rib   Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	NK24/16
Weight / LBS	0.07
Width	0.63 Inch   16 Millimeter
Bore	0.945 Inch   24 Millimeter



## AFEX Bearing Equipment Co., Ltd.

Outside Diameter	1.26 Inch   32 Millimeter
------------------	---------------------------